

APPLICATION UNDER UNITED STATES PATENT LAWS

Atty. Dkt. No. PW 279285/F7595(V)
(M#)

Invention: **STRUCTURED PARTICULATE SYSTEMS**

Inventor (s): **CAIN, Frederick William
MCNEILL, Gerald Patrick
TONGUE, Tom**

Pillsbury Winthrop LLP
Intellectual Property Group
1100 New York Avenue, NW
Ninth Floor
Washington, DC 20005-3918
Attorneys
Telephone: (202) 861-3000

This is a:

- ☐ Provisional Application
- ☒ Regular Utility Application
- ☐ Continuing Application
 - ☒ The contents of the parent are incorporated by reference
- ☐ PCT National Phase Application
- ☐ Design Application
- ☐ Reissue Application
- ☐ Plant Application
- ☐ Substitute Specification
 - Sub. Spec Filed _____
in App. No. _____ / _____
- ☐ Marked up Specification re
Sub. Spec. filed _____
In App. No. _____ / _____

SPECIFICATION

STRUCTURED PARTICULATE SYSTEMS

The use of solid organic active components in foods and in particular in health foods is well known nowadays. Examples of active organic components that are applied heretofore are e.g. folic acid, ursolic acid, phytosterols, oleanolic acid and policosanol or derivatives or salts thereof. These components are added to the food as small particles (e.g. with a size of 2 to 250 microns) or as a solution after being dissolved in a solvent. Neither of these delivery forms have been found to be satisfactory because the addition as small particles led to problems with oral mouthfeel and to problems with the bioavailability of the components, while also the homogeneity of the food product was poor due to a limited dispersability of the components in the food products. Delivery in the form of a solution in a solvent also led to problems with mouthfeel and bioavailability. Moreover this delivery form introduced a solvent in the food product that had to be food grade and which is not always easily available for the type of component that needs to be introduced, while the solvent also easily could affect the texture of the food product in a negative sense. Further the presence of a solvent diluted the amount of active component in the food product.

We studied whether we could find a solution for above problems and this study resulted in the finding of a new delivery form for the solid organic active components.

Therefore our invention concerns in the first instance novel structured particulate systems comprising active, organic, solid component(s) in a matrix in a weight ratio of 1 : 99 to 99 : 1, preferably 5 : 95 to 95 : 5, more preferably 15 : 85 to 85 : 15 and wherein the active, organic, solid component(s) preferably is selected from one or more of the components from the group consisting of oleanolic acid, ursolic acid, folic

10 wherein the active solid organic components are incorporated. The particle size of the particulate system ,expressed as mean weight diameter is greater than the size of the individual components where it is made of, still we found that the oral properties were improved while also positive effects were

The best performance of our novel system was observed when the system displayed a loose bulk density of 0.1 to 1.1 ,

The mean weight diameter of the particles of our novel
particulate system preferably ranges from 50 to 400 micron ,in
particular from 60 to 300 micron.

The weight ratio between the active solid organic component and the matrix can range within a broad range but we found that the 30 best results were obtained if this ratio was from 80 : 20 to 20 : 80, in particular from 40 : 60 to 60 : 40.

The particle size of the starting active solid organic component can range from 2 to 275 micron and this results in a discrete particle size hereof within the total structured particulate system of 2 to 275, preferably 5 to 250, most
5 preferably 7 to 200 microns.

The active solid organic component is preferably a nutritionally active component that in particular improves the oral properties of a food product, or the bioavailability of the active, organic, solid component or the dispersability of
10 the active component in a food.

The matrix can be selected from a broad range of materials as long as they are edible. However we prefer to use a matrix selected from the group consisting of polysaccharides, modified
15 polysaccharides, sugars, gums, thickeners, stabilisers, syrups, flours, starches, dextrose, maltodextrins and celluloses. The particle size of the particles of the matrix can vary between 1 and 350 micron, preferably between 5 and 200 micron, more preferably between 25 and 100 micron.

According to another aspect of our invention our invention also concerns with a method for improving the oral properties and / or the homogeneity of an organic, solid, active component in a food product by incorporating in the food product an effective
25 amount, preferably 0.01 to 50wt % ,more preferably 1 to 30 wt % on food product of the structured particulate system of the invention.

Preferred food products herefore are selected from the group consisting of margarine, spreads, baked goods, extruded goods,
30 confections, ice-creams and dairy products. The particulate system being present herein in amounts effective to achieve the desired effects. These amounts are different for the different active organic compounds and for the different food products

but will range in general between 0.01 and 50 wt % on total food product. In this way the use of a normal daily amount of food product can satisfy between 10 and 100 % of the recommended daily amount of the active organic component.

5 According to a last aspect of our invention our invention also concerns with a process for preparing the structured particulate system according to the invention wherein

(i) a solid, organic active component is mixed with a matrix into a homogeneous powder

10 (ii) a solvent, preferably water is added to part of the powder obtained to dissolve the matrix resulting in an suspension of the active component in water

(iii) part of the powder resulting from step (i) is suspended in the expansion chamber of a fluid bed

15 (iv) the suspension resulting from (ii) is sprayed onto the suspended powder of step (iii) in the expansion chamber and dried rapidly by a heating medium , preferably heated air.

EXPERIMENTAL PART**Folic Acid, nutritionally active particulate component**

Folic acid is used as the active component It has a mean weight diameter of 246 microns and a loose bulk density of 0.2g/cc. The mean weight diameters is calculated as follows: weight fraction at screen multiplied by screen opening (microns), summed for all screen sizes.

10 Example I

Procedure for making structured particulate Folic Acid on a fluid bed.

Formulas are mentioned in Table I for a Folic Acid content of respectively 25% & 50% in the structured particulate.

Table I

Ingredients		Formula 25%		Formula 50%	
<u>Product Bowl</u>					
20	6X Powder Sugar	50%	30kg	34%	20.4kg
	Folic Acid	26.5%	15.9kg	53%	31.8kg
	Dextrose	21.7%	13.02kg	11.2%	6.72kg
	Microcrystalline Cellulose	0.6%	0.36kg	0.6%	0.36kg
25	<u>Spray Solution</u>				
	Maltodextrin M-100	0.6 %	0.36kg	0.6%	0.36kg
	Dextrose	0.6%	0.36kg	0.6%	0.36kg
	Water	12kg		12 kg	

I. Preprocessing:

- A. The raw ingredients are weighed as detailed in Table I.
B. The spray solution ingredients are mixed with warm water (20-40°C) until homogeneous.

II. Process:

A. 30kg 6X Powder Sugar, 15.9kg Folic Acid, 13.02kg Dextrose, and 0.36kg microcrystalline cellulose are placed in a product bowl on the fluid bed.

B. The following processing conditions are set on the control panel.

	(a).	Nozzle Height	Middle Range
	(b).	Nozzle Port	1.8mm
	(c).	Inlet Air Temp	98-100 °C
15	(d).	Outlet Air Temp	40-42°C
	(e).	Spraying Air Temp	Ambient
	(f).	Spraying Air Pressure	3.75 bar
	(g).	Operation Air Volume	Adjusted to best fluidization level
	(h).	Spray Rate	250g/min
20	(i).	Humidification	Minimum

C. The inlet air flap is adjusted until the operating air volume has best fluidization level.

D. The powder is fluidized until the outlet air temperature reaches 38-40°C. The spray solution spray line is connected to the fluid bed and spraying is started at a spray rate of 250 grams/minute.

E. After the spraying is completed, water is added to the tank, and spraying is continued at the same spray rate for 3 minutes.

Post Spray Processing:

- A. Product is dried at an outlet temperature of 48°C.
- B. Sample is taken for loss on drying. Specification is 2.5%
 5 max. The fluid bed is shut down when moisture meets
 specification.
- C. Particle size is measured on US#20, 40, 60, 100, 200, &
 Pan.
- D. Product is sieved on a US#20 Screen to remove oversized
 10 particulates. Oversized material is ground and added back
 to final product.
- E. Final product is analyzed for particle size, loss on
 drying, loose bulk density and percent folic acid.
- 15 **Note:** Same Operating Procedure is used for the 50% formula.

Final Product Specifications

	Formula 25%	Formula 50%
20 % Folic Acid	25	50
Loss on Drying	2.5% max.	2.5% max.
Particle Size		
On US#20 (840 microns)	0.0%	0.0%
On US#60 (250 microns)	30% max.	30% max.
25 Thru US#200 (74 microns)	30% max.	30% max.

Example II

Comparative homogeneity test of structured particulate Folic
 Acid with non-structured active particulate component:

- 30 1. 10 milligrams of non-structured active particulate
 component Folic Acid is added to 1 kg of vegetable oil and
 40 milligrams of structured particulate Folic Acid (25%)
 to another 1 kg of vegetable oil.

00316841 032607

2. Each sample is mixed for 5 minutes with continuous visual inspection for homogeneity.

It is demonstrated that structured particulate Folic Acid disperses readily in food products resulting in a homogeneous distribution of folic acid in the products with accurate dosing. This is in contrast to non-structured active particulate component Folic Acid which clumps together and sticks to the container walls, making it extremely difficult to deliver an accurate dose of Folic Acid to the food product.

10

15